


*Referring
Provider*



 **Anodyne Therapy**
The Trusted Name in Light Therapy

Don't just help your
patients live with pain.

Help them live.



Help your patients in ways you didn't think were possible.



If your patients have been experiencing painful circulatory problems that interfere with their sleep, ability to walk and do the activities they love, Anodyne® Therapy has been clinically proven to help.

Our program can help to substantially increase circulation and reduce pain in many chronic conditions, so your patients can get back to life. More than 6,000 Anodyne® Therapy Providers (including home care agencies, outpatient rehab clinics, hospitals and nursing homes) are finding the Anodyne® Therapy System indispensable to their therapy programs.


The data is compelling.

More than 3,000 subjects in five clinical studies have demonstrated significant pain improvements ($p < 0.0001$) after treatment with Anodyne® Therapy, as part of a comprehensive rehab plan of care. The largest such study demonstrated a mean 67% pain reduction in an 11-point numeric VAS scale after a clinical treatment program involving Anodyne® Therapy.

These exceptional clinical outcomes have been documented in 13 peer-reviewed studies published in medical journals, including:

- Diabetes Care
- Age and Ageing
- Journal of Physical and Occupational Therapy in Geriatrics
- Journal of Diabetes and Its Complications

**67% Pain Reduction using
Numeric Pain Scale (N=2239)**



*Journal of Diabetes and Its Complications 2006,
March/April Vol 20, No.2*

“Anodyne Therapy has become a welcome adjunct to my therapeutic arsenal.”

in my patients' level of comfort and their quality of life. Anodyne Therapy is the first treatment I have found that treats not just the symptoms, but also one of the underlying causes of the pain—poor microvascular blood flow.”

**– Neil J. Goldberg, MD, Endocrinologist
Associate Professor of Medicine, UCLA**

Results matter, and here's how Anodyne works.


Up to 3,200% increased circulation within 20 minutes














Anodyne® Therapy (MIRE™) is an Infrared Light Therapy device that is applied in direct skin contact to any area of the body and is indicated by the US FDA to temporarily increase circulation and reduce pain, stiffness and muscle spasm.

The hypothesis of the mechanism of action of MIRE is that the infrared light energy causes the photo-dissociation of Nitric Oxide (NO) from the endothelial cells at the site of treatment and from hemoglobin in the red blood cells (RBCs). The continuous delivery of RBCs sustains the local increase in NO during delivery of Anodyne® Therapy treatments, resulting in vasodilation which can indirectly relieve pain caused by lack of blood flow. NO release may also directly contribute to the pain relief documented to occur during treatment.

**MIRE is absorbed by hemoglobin and endothelial cells.
Resultant photo-dissociation of NO from hemoglobin.**



Perfusion Increase after 20 minutes of Anodyne® Therapy

 ELBOW		 1,300% increase
 KNEE		 2,000% increase
 HEEL		 3,200% increase
 FEET	 AFTER 30 MINUTES	
		400% increase with Anodyne Therapy 40% increase with placebo heat therapy

*As measured by Moor Scanning Laser Doppler

Our comprehensive approach to care.

Treatment begins with an individual assessment of the patient's functional limitations and a comprehensive therapy program is then designed to help them reach their personal goals.

Our program, generally 10–24 therapy sessions, may include some or all of the following.

- Anodyne® Therapy to reduce pain and increase circulation
- Stretching and strengthening exercises
- Dynamic and static balance exercises
- Massage and other therapeutic modalities for pain
- Sensory integrative techniques

Prescribing Information

Anodyne® Therapy is indicated by the US FDA to temporarily increase circulation and reduce pain, stiffness and muscle spasm. It has been used safely for over 12 years on hundreds of thousands of patients. Anodyne® Therapy should not be used directly over an active malignancy or over the womb of a pregnant woman. With increased activities during therapy, patients should always monitor their blood sugars carefully. There are no known drug interactions or side effects, other than a slight risk of a superficial burn if therapy protocols and precautions are not followed. Appropriate therapy protocols for most conditions should be 30–45 minutes per session, at a frequency of three times per week for four weeks. Patients with poor skin integrity should not be treated for more than 30 minutes per session.


Will your patients require ongoing treatment?

If your patients experience relief with Anodyne® Therapy, and have an acute injury or problem, more than likely, they will not require ongoing treatments. If your patients have a chronic condition causing their pain or circulatory problem, clinical treatment with Anodyne® Therapy will not be a cure, but rather a drug-free treatment for their condition.

Patients typically feel a soothing warmth as circulation increases.



ISO 13485 Quality Registration, CE Mark
UL/CSA Approved Medical Device



Anodyne® Therapy Professional 480 System



Your Local Anodyne® Therapy Provider

Anodyne Therapy, LLC
13570 Wright Circle
Tampa, FL 33626 USA

800.521.6664 or +1 813.342.4432
FAX 800.496.8323 or +1 813.342.4417
CUSTOMER CARE FAX 800.835.4581 or +1 813.342.4418
EMAIL contact@anodynetherapy.com

www.anodynetherapy.com